Carbohydrate Research, 211 (1991) c13–c15
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

(Abstracts/contents lists published in: Chem Abstr.; Curr. Contents; Phys. Chem. Earth Sci.; Life Sci. Full texts are incorporated in CJELSEVIER, *a file in the chemical Journals Online database which is available on STN® International.)*

Conformational analysis of isopropylidene-protected *C*-glycosyl derivatives of 3-deoxy-D-*manno*-2-octulosonic acid (Kdo) in the solid state and in solution
M. Orbe, K. Luthman, T. Wåglund (Uppsala, Sweden), A. Claesson (Södertälje, Sweden), and I. Csöregh (Stockholm, Sweden) 1

Determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in partially *N*-deacetylated chitins (chitosans) by high-field n.m.r. spectroscopy
K. M. Varum, M. W. Anthonsen, H. Grasdalen, and O. Smidsrød (Trondheim, Norway) 17

Synthesis of two phosphate-containing "heptasaccharide" fragments of the capsular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B
T. M. Slaghek, A. A. M. Maas, J. P. Kamerling, and J. F. G. Vliegenthart (Utrecht, The Netherlands) 25

Analysis of positions of substitution of *O*-carboxymethyl groups in partially *O*-carboxymethylated cellulose by the reductive-cleavage method
S. G. Zeller, G. W. Griesgraber, and G. R. Gray (Minneapolis, MN, U.S.A.) 41

Synthesis and mass spectra of 4-*O*-acetyl-1,5-anhydro-2,3,6-tri-*O*-(methoxycarbonylmethyl)-D-glucitol and the positional isomers of 4-*O*-acetyl-1,5-anhydro-di-*O*-(methoxycarbonylmethyl)-*O*-methyl-D-glucitol and 4-*O*-acetyl-1,5-anhydro-*O*-(methoxycarbonylmethyl)-di-*O*-methyl-D-glucitol
S. G. Zeller, G. W. Griesgraber, and G. R. Gray (Minneapolis, MN, U.S.A.) 47

The design and synthesis of antibody binding site probes: three pentasaccharide analogues of the *Brucella* A antigen prepared by activation *in situ* of thioglycosides with bromine
J. Kihlberg, E. Eichler, and D. R. Bundle (Ottawa, Ont., Canada) 59

Structural characterization of a new anticoagulant fucan sulfate from the brown seaweed *Ecklonia kurome*
T. Nishino, T. Nagumo (Kanagawa, Japan), H. Kiyohara, and H. Yamada (Tokyo, Japan) 77

L-Guluronan-specific alginate lyase from a marine bacterium associated with *Sargassum*
B. J. Brown and J. F. Preston, III (Gainesville, FL, U.S.A.) 91

Glucuronoxylomannan of *Cryptococcus neoformans* serotype B: structural analysis by gas-liquid chromatography–mass spectrometry and ^{13}C-nuclear magnetic resonance spectroscopy
S. H. Turner and R. Cherniak (Atlanta, GA, U.S.A.) 103

A new undecasaccharide subunit of xyloglucans with two α-L-fucosyl residues
M. Hisamatsu, G. Impallomeni, W. S. York, P. Albersheim, and A. G. Darvill (Athens, GA, U.S.A.) 117

Notes

The identification by ^{1}H- and ^{13}C-n.m.r. spectroscopy of sucrose, 1-kestose, and neokestose in mixtures present in plant extracts
A. De Bruyn (Gent, Belgium) and J. van Loo (Tienen, Belgium) 131

3-Amino-5-*C*-phenyl-D-altrofuranose and 3-amino-5-*C*-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yl]-D-altrofuranose, possible intermediates for synthesis of the anthracycline antibiotic decilorubicin
T. Izawa, Y. Nishimura, and S. Kondo (Tokyo, Japan) 137

Synthesis of pseudo-laminarabiose, -cellobiose, and -maltose (D-glucopyranosyl 5a-carba-D- and L-glucopyranoses)
S. Ogawa, I. Sugawa, and Y. Shibata (Yokohama, Japan) 147

Glycosyl 1-piperidinecarbodithioates in the synthesis of glycosides
P. Fügedi, P. J. Garegg, S. Oscarson, G. Rosen, and B. A. Silwanis (Stockholm, Sweden) 157

Observation of a stable orthoacyl fluoride in the reaction of a reducing sugar with diethylaminosulfur trifluoride
M. H. E. Griffith and O. Hindsgaul (Edmonton, Alta., Canada) 163

Autoxidative degradation of Amadori compounds in the presence of copper ion
S. Kawakishi, J. Tsunehiro, and K. Uchida (Nagoya, Japan) 167

Preparation of acetylated 2,6-anhydrohept(hex)-2-enononitriles (1-cyano-2-hydroxyglycals)
L. Somsák, E. Papp. G. Batta, and I. Farkas (Debrecen, Hungary) 173

Selective 3-*O*-allylation and 3-*O*-benzylation of methyl α-D-manno-, α-L-rhamno- and β-L-fucopyranoside
G. Yang, F. Kong, and S. Zhou (Beijing, China) 179

Structural studies of the *Escherichia coli* 01A O-polysaccharide, using the computer program CASPER
H. Baumann, P.-E. Jansson, L. Kenne, and G. Widmalm (Stockholm, Sweden) 183

Papers

Structure and solution conformations of a cyclic trisaccharide from high-resolution n.m.r. spectroscopy and molecular modelling
G. Bonas, M. R. Vignon (Grenoble, France), and S. Pérez (Nantes, France) 191

Ring-opening kinetics of the D-pentofuranuronic acids
J. Wu and A. S. Serianni (Notre Dame, IN, U.S.A.) 207

Assignment of structures to oligosaccharides produced by enzymic degradation of a β-D-glucan from barley by ^{1}H- and ^{13}C-n.m.r. spectroscopy
K. Bock, J. Ø. Duus (Valby, Denmark), B. Norman, and S. Pedersen (Bagsvaerd, Denmark) 219

Mechanism of oxidation of reducing sugars by osmium tetraoxide in alkaline medium by the stopped-flow technique
H. S. Singh, B. Singh, and A. K. Singh (Allahabad, India) 235

Branched-chain thiosugars: temperature effects in the acetolytic deacetalation of furanose sugars
S. H. Kawai, J. Chin, and G. Just (Montreal, Que., Canada) 245

Synthesis of a spacer-containing repeating unit of the capsular polysaccharide of *Streptococcus pneumoniae* type 23F
A. M. P. van Steijn, J. P. Kamerling, and J. F. G. Vliegenthart (Utrecht, The Netherlands) 261

A ^{13}C-n.m.r. study of the tungstate and molybdate complexes of perseitol, galacitol, and D-mannitol
S. Chapelle and J.-F. Verchère (Mont-Saint-Aignan, France) 279

Synthesis of 3-(D-lyxofuranosyl)pyrazoles by trifluoracetic acid-catalysed cyclodehydration of 3-(D-*galacto*-pentitol-1-yl)pyrazoles
M. Gómez-Guillén and J. M. Lassaletta Simon (Seville, Spain 287

Nucleophilic displacement-reactions of the 4-sulfonyloxy group in derivatives having the D-*manno* configuration
D. Cicero, O. Varela, and R. M. de Lederkremer (Buenos Aires, Argentina) 295

Analysis of a pyruvic acid acetal-containing polysaccharide by the reductive-cleavage method
S. G. Zeller and G. R. Gray (Minneapolis, MN, U.S.A.) 309

Photolabeling of dextransucrase from *Streptococcus sanguis* with *p*-azidophenyl α-D-glucopyranoside
S. F. Kobs and R. M. Mayer (Columbus, OH, U.S.A.) 317

Notes
Enzymic synthesis of galactopyranosyl-L-serine derivatives using galactosidases
D. Cantacuzene and S. Attal (Paris, France) 327

Synthesis of polymerizable anhydrodeoxyribose derivatives
K. Hatanaka, Y. Yoshida, T. Yoshida, and T. Uryu (Tokyo, Japan) 333

Acceptor activity of affinity-immobilized dextransucrase from *Streptococcus sanguis* ATCC 10558
S. F. Kobs (Columbus, OH, U.S.A.) 337

Preliminary communication
A facile total synthesis of ganglioside GM1b and its positional analog
H. Prabhanjan, H. Ishida, M. Kiso, and A. Hasegawa (Gifu, Japan) c1

Author index c7

Subject index c9

Contents (Vol. 211) c13